Prepared By:

Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For: 4802

\$19,251 + \$965 = \$20,216

# 2011 Jeep Liberty 4WD 4dr



2011 Jeep Liberty 4WD 4dr Sport (KKJL74)


**CLASS 4802** 

SPORT UTILITY COMPACT 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

### **Vehicle Report: Table of Contents**

1
1
1
2
2
2
2
3
4
5
5
5
6



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

### **Vehicle Information**

#### SELECTED MODEL

Code Description

KKJL74 2011 Jeep Liberty 4WD 4dr Sport

#### **SELECTED VEHICLE COLORS**

#### **SELECTED OPTIONS**

Code	Description
	NATIONAL DELIVERY
NAS	50-STATE EMISSIONS
EKG	3.7L V6 ENGINE
DGV	4-SPEED AUTOMATIC TRANSMISSION
28B	28B CUSTOMER PREFERRED ORDER SELECTION PKG, -inc: 3.7L V6 engine, 4-speed auto trans
WNK	16" X 7.0" ALUMINUM WHEELS, (STD)
TSN	P235/70R16 ALL-TERRAIN OWL TIRES, -inc: full size spare tire w/black steel wheel
PW7	BRIGHT WHITE
	STANDARD PAINT
K7DV	DARK SLATE GRAY, PREMIUM CLOTH LOW-BACK BUCKET SEATS
AAR	TRAILER TOW CLASS III GROUP, -inc: 7-pin wiring harness, 7 to 4-pin wiring adaptor, class III receiver hitch, full-size spare tire w/black steel wheel, HD engine cooling, pwr steering cooler, trailer sway control, trailer tow group
ADL	SKID PLATE GROUP, -inc: front suspension skid plate, fuel tank skid plate, tow hooks, transfer case skid plate, transmission skid plate
XEA	TOW HOOKS
TBB	FULL SIZE SPARE TIRE
LM1	DAYTIME RUNNING LAMPS

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

## **Standard Equipment**

### MECHANICAL

3.7L V6 Engine

4-speed automatic transmission

Auxiliary transmission oil cooler

3.73 axle ratio

Command-Trac II part-time 4WD system

600-amp maintenance free battery

140-amp alternator

Tip start system

Dana 30/186MM front axle

Corporate 8.25 solid rear axle

Pwr rack & pinion steering

Hill start assist

Hill descent control

Compact spare tire

#### **EXTERIOR**

16" x 7.0" aluminum wheels

P225/75R16 All-season BSW tires

Bodyside molded-in-color moldings

Black roof molding

Body color grille

Body color fascias

Body color fender flares

Black door handles

Black license plate brow

Tinted windshield glass

Automatic halogen headlamps w/time-off delay

Heated fold-away pwr mirrors

Front license plate bracket

Variable intermittent windshield wipers

Rear window wiper/washer

#### **ENTERTAINMENT**

Media center 130 -inc: AM/FM stereo, CD player, MP3 playback, auxiliary audio input

Audio input jack

(6) speakers

Sirius satellite radio w/1-year subscription

Removable short-mast antenna

#### **INTERIOR**

Premium cloth front bucket seats

Active front seat head restraints

60/40 folding split-recline seat


Front passenger fold-flat-forward seat

Full length floor console

Carpeted floor covering

Luxury front & rear floor mats





Tilt steering wheel

Sentry Key theft-deterrent system

Low tire pressure warning

**Tachometer** 

Pwr windows w/driver 1-touch

Speed sensitive pwr locks

Speed control

Remote keyless entry

Air conditioning

Air filtering

Illuminated entry

Pwr accessory delay

Rear window defroster

12-volt auxiliary pwr outlet

Illuminated visor vanity mirrors

Courtesy lamps

Map/reading lamps

Rear dome lamp

"Flipper" liftgate glass

Cargo compartment lamp

Reversible/waterproof cargo storage

### SAFETY

Pwr 4-wheel anti-lock disc brakes

Brake assist

All speed traction control

Electronic stability program

Electronic roll mitigation

Dual-note horn

Driver & front passenger advanced multi-stage airbags

Occupant classification system

Supplemental front & rear side curtain air bags

Front height adjustable shoulder belts

LATCH-ready child seat anchor system

Child safety rear door locks

Enhanced accident response system

All specifications are subject to change without notice.



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

# **Warranty Information**

	PRELIMINARY 2011 WARRANTY >>>
Basic	);
:	3 Years/36,000 Miles
Drive	etrain:
	5 Years/100,000 Miles
	(fully transferable with no fee)
Corro	osion:
	5 Years/100,000 Miles
Emis	sions:
	2 Years/24,000 Miles
Road	dside Assistance:
:	3 Years/36,000 Miles



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

**Technical Specifications** 

Transmiss	sion		
	Drivetrain	4-Wheel Drive	
	Trans Order Code	DGV	
	Trans Type	4	
	Trans Description Cont.	Automatic w/OD	
	Trans Description Cont. Again		
	First Gear Ratio (:1)	2.84	
	Second Gear Ratio (:1)	1.57	
	Third Gear Ratio (:1)	1.00	
	Fourth Gear Ratio (:1)	0.69	
	Reverse Ratio (:1)	2.21	
	Clutch Size		
	Final Drive Axle Ratio (:1)	3.73	
	Transfer Case Gear Ratio (:1), High	1.00	
	Transfer Case Gear Ratio (:1), Low	2.72	
Mileage			
	EPA Fuel Economy Est - Hwy	21 MPG	
	Cruising Range - City	292.50 mi	
	EPA Fuel Economy Est - City	15 MPG	
	Fuel Economy Est-Combined	17 MPG	
	Cruising Range - Hwy	409.50 mi	
Engine			
	Engine Order Code	EKG	
	Engine Type	Gas V6	
	Displacement	3.7L/226	
	Fuel System	SMPI	
	SAE Net Horsepower @ RPM	210 @ 5200	
	SAE Net Torque @ RPM	235 @ 4000	
Electrical			
	Cold Cranking Amps @ 0° F (Primary)	600	
	Maximum Alternator Capacity (amps)	140	
Cooling S	ystem		
	Total Cooling System Capacity	14.0 qts	
VEHICLE			
	EPA Classification	4WD Sport Utility Vehicle	



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

#### **Interior Dimensions**

Interior Dimensions	
Passenger Capacity	5
Passenger Volume	105.6 ft <sup>3</sup>
Front Head Room	40.4 in
Front Leg Room	40.8 in
Front Shoulder Room	57.1 in
Front Hip Room	52.7 in
Second Head Room	40.8 in
Second Leg Room	38.2 in
Second Shoulder Room	56.6 in
Second Hip Room	52.6 in
Exterior Dimensions	
Wheelbase	106.1 in
Length, Overall	176.1 in
Width, Max w/o mirrors	73.1 in
Height, Overall	71.3 in
Track Width, Front	61.0 in
Track Width, Rear	61.0 in
Min Ground Clearance	7.8 in
Rear Door Opening Height	29.6 in
Rear Door Opening Width	44.2 in
Liftover Height	34.1 in
Cargo Area Dimensions	
Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Wheelhousings	41.4 in
Cargo Box (Area) Height	N/A in
Cargo Volume to Seat 1	60.9 ft <sup>3</sup>
Cargo Volume to Seat 2	25.2 ft³
Cargo Volume to Seat 3	
CHASSIS	
Weight Information	
Base Curb Weight	4290 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Maximum Payload Capacity	N/A lbs



**Total Option Weight** 

**Curb Weight** 

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

N/A lbs

0.00 lbs

Trailering		
Trailering	Dead Weight Hitch - Max Trailer Wt.	5000 lbs
	Dead Weight Hitch - Max Trailer Wt.	500 lbs
	Wt Distributing Hitch - Max Trailer Wt.	5000 lbs
	Wt Distributing Hitch - Max Tongue Wt.	500 lbs
	Maximum Trailering Capacity	N/A lbs
Suspensio		A A
	Suspension Type - Front	A-Arms
	Suspension Type - Rear	Live Axle
	Suspension Type - Front (Cont.)	w/stabilizer bar
	Suspension Type - Rear (Cont.)	w/stabilizer bar
	Shock Absorber Diameter - Front	N/A mm
	Shock Absorber Diameter - Rear	N/A mm
	Stabilizer Bar Diameter - Front	N/A in
	Stabilizer Bar Diameter - Rear	N/A in
Tires		
	Front Tire Order Code	TSN
	Rear Tire Order Code	TSN
	Spare Tire Order Code	TBB
	Front Tire Size	P235/70R16
	Rear Tire Size	P235/70R16
	Spare Tire Size	P235/70R16
Wheels		
	Front Wheel Size	16 x 7.0 in
	Rear Wheel Size	16 x 7.0 in
	Spare Wheel Size	16 x 7.0 in
	Front Wheel Material	Aluminum
	Rear Wheel Material	Aluminum
	Spare Wheel Material	Aluminum
Steering		
	Steering Type	Pwr rack & pinion
	Steering Ratio (:1), Overall	17.36
	Lock to Lock Turns (Steering)	3.4
	Turning Diameter - Curb to Curb	35.5 ft



Turning Diameter - Wall to Wall

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

N/A ft

#### **Brakes**

D. a.r.oo		
	Brake Type	Pwr
	Brake ABS System	4-Wheel
	Brake ABS System (Second Line)	N/A
	Disc - Front (Yes or )	Yes
	Disc - Rear (Yes or )	Yes
	Front Brake Rotor Diam x Thickness	11.9 x 1.1 in
	Rear Brake Rotor Diam x Thickness	12.4 x 0.5 in
	Drum - Rear (Yes or )	
	Rear Drum Diam x Width	
Fuel Tank		
	Fuel Tank Capacity, Approx	19.5 gal
	Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.



Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.